B47 FLORA



Inspired by nature, the softness of flowers and the curves of their foliage, the FLORA collection will bring beauty, delicacy and elegance to your bathroom. The faucets in this collection are as durable as they are smooth and pleasant to use. All the details have been thought of to offer you a perfect experience. In addition to the 8 finishes offered at all times by BARIL, the FLORA collection offers you a choice of 5 lever rings. So you can give free rein to your creativity and create the faucet of your dreams, perfect for your decor.





B47 FLORA

B47-9453-00-xx

Separate volume control or diverter valve required



Easy Rough-in Installation

The flat back housing and two anchors molded onto the valve rough-in ensure easy and stable installation.

European Cartridge

High performance and perfectly calibrated ceramic cartridge with outstanding durability.

Temperature Limiting

Manually adjustable temperature limiter.

Outstanding Temperature Stabilization

This French-made cartridge has a temperature variation of less than 2 °C / 3.6 °F, making it one of the valves with the least temperature variation on the market.

Stylized, Sleek Design

The plateless design of this valve gives it a modern, sleek look. Delicate and elegant, it will blend into any decor.

Easy Trim Installation

The included installation template makes installation easy and hassle-free.



High-Quality Material

BARIL valves last longer because they are forged of solid brass thicker than average.

Flawless Finish


Multiple finishes available to give a personal touch to your faucet. Made with best technologies available.





Gold (GG)





BARIL equals quality

High flow rate

Durable ceramic cartridge

Valve Controls

BARIL STYLE X FUNCTION

BARIL valves offer intuitive and ergonomic controls. Connected to high-quality cartridges, they combine ease of use, temperature stability and safety for you and your family.

Handle

Adjust the temperature as you wish. It will remain the same until the next time you use your bath or shower.

Safety Feature

A temperature limiter can be adjusted during installation to prevent scalding.


Separate Volume Control or Diverter Valve Required


Add:


- A volume control valve (B47-9649-00-xx) for one shower accessory.
- A 2-port diverter with stop (B47-9560-02-xx) or two volume control valves for two shower accessories.
- A 3-port diverter with stop (B47-9560-02-xx) or three volume control valves for three shower accessories.

Convenient Hook

Perfect to hang your towel, loofah or any bath accessory, you can also leave it empty and it will remain very discreet.













Customizable Installation



Without a plate, the thermostatic valve allows several installation options with separate shut-off valves or diverters. Horizontal, vertical or L-shaped, choose according to your needs and the style of your bathroom. Whatever you choose, the installation template ensures an easy, hassle-free installation.

Horizontal Installation


The hook can be installed on the right or the left of the handle.


Vertical Installation


We recommend installing the hook below the handles.

L-shaped Installation

The hook can be installed on the right, left or below the handle.







Front Access

The check stops are easily accessible, allowing the water supply to be shut off for cartridge maintenance without shutting off the main water supply.

Watertight

A foam on the back of the base flanges ensures an optimal watertightness.


Elegant Look

No visible screws for a sleek look.

Temperature Stabilization



The cartridge allows to preset the temperature so that it reacts to the slightest variations. Therefore, the temperature at the water outlet will remain unchanged, regardless of the temperature and pressure variations in your hot and cold water supplies.




High Quality Materials

Perfectly calibrated, the thermostatic component of this cartridge ensures constant water flow and extremely precise water temperature control. The high-precision machining of its parts allows for a high flow rate, while its plastic casing prevents scale build-up.


Easy Rough-in Installation




With the flat back and anchors molded directly onto the valve rough-in, installation is easy and very stable.








Temperature Limiting



Reversible Check Stops

In case of hot and cold water supply reversal, the valve will not supply lukewarm water, only hot or cold water. To remedy this situation, simply switch the position of the check valves.








Easy Trim Installation

BARIL

BARIL trims are solid and easy to install. The one-inch depth adjustment and the drilling template make the job easier so the installation is done quickly and flawlessly.





Front Access

The check stops are easily accessible, allowing the water supply to be shut off for cartridge maintenance without shutting off the main water supply.



Depth Adjustability

Brass Trim Plate

Depth Adjustability

The brass fittings have to be cut to lenght.





Watertight

A foam on the back of the plate ensures an optimal watertightness.

