

# B66 ZIP —

# BARiL

STYLE × FUNCTION

The ZIP Collection, launched in 2004, is the ultimate timeless faucet collection. With its sleek design and rounded shapes, this faucet gives a firmly modern look that brings a sophisticated ambiance to your bathroom. Its slender tubular line comes into resonance with the decor which suits you the most, always with elegance... Try it in matte black finish for a chic and trendy result!



# B66 ZIP

B66-8100-02L-xx

Single lever wall-mounted lavatory faucet, drain not included

# BARiL

STYLE × FUNCTION

## Easy installation

One-piece rough for a very easy and sturdy installation

## High quality material

BARiL faucets last longer because they are forged of solid brass thicker than average

## Flawless finish

Multiple finishes available to give a personal touch to your faucet. Made with best technologies available

## European cartridge

Made with high performance ceramic, this cartridge is amongst the most durable on the market

## Refined design


Timeless slender tubular lines with very good ergonomics

## Adjustable aerator

Allows adjustments in the water stream's direction by the touch of a finger



Chrome (CC)




Venetian Bronze (TT)



Matte Black (KK)




Satin Brass (LL)




Brushed Nickel (NN)



Satin Copper (VV)



Polished Nickel (YY)




Gold (GG)

LIMITED  
**LIFETIME**  
WARRANTY


**1.5**  
GPM FLOW RATE



Ecological options available



Durable ceramic cartridge



Ensure the perfect stream

BARiL equals quality


Uses 30% less water

# Adjustable Aerator

Our German-made swivel aerator lets you direct the flow where you want it. No more splashing!

# BARiL

STYLE × FUNCTION



## Ecological Options

BARiL is supporting the environment by offering options to reduce the water flow thereby economising your water usage

<b>B66-8100-02L-xx</b>	<b>B66-8100-02L-xx-120</b>	<b>B66-8100-02L-xx-100</b>	<b>B66-8100-02L-xx-050</b>
1.5 gpm - 60 psi 5,7 l/min - 60 psi	1.2 gpm - 60 psi 4,5 l/min - 60 psi	1.0 gpm - 60 psi 3,7 l/min - 60 psi	0.5 gpm - 60 psi 1,9 l/min - 60 psi

# Attention to Detail

BARiL faucets are designed with both style and function in mind. The perfect angle of the handle stick as well as the possible adjustment of the spout length are only two examples of our dual design thinking.

# BARiL

STYLE × FUNCTION

## Dimensions:



Model: B66-8100-02L-xx

Flange diameter: 2-3/8"

Center to center: 4"

Height: 3-3/4"

Spout reach: 7-3/4" to 8-1/8"



# Easy installation —

Trouble free installation thanks to a one-piece rough mounted on a steel plate: easy to fix and to level, no risk of misalignment of spout and handle.

# BARiL



STYLE × FUNCTION

## Adjustable depth from your finished wall

1/2" range of depth adjustment

## Separate hot & cold connections

This construction makes it very easy to connect your waterways



## Plastic protectors

Provide help for the rough installation (drilling template, indication of depth versus finished wall), and protect the rough during finishing steps.