

VISION ---

BARiL

STYLE × FUNCTION

The VISION faucet is the result of a stylistic research aimed to subtly soften and beautify the junction between body and spout, by adding an elegant curve that is reflected into the slightly curved surface of the handle. This tap delights your VISION with the beauty and simplicity of its lines.



VISION

CUI-9245-02L-xx

Single hole kitchen faucet
with 2-function pull-down spray

BARiL

STYLE × FUNCTION

Automatic docking

Ensures the head locks in its original position

"Superswivel" hose connection

Extensive range of motion

2-function brass pull-down spray

High performance stream & spray function with anti-limestone jets

Ergonomical faucet

Convenient to fill large pots & tall pitchers

360° swivel spout

Easy to position and allows to reach every corners of the sink

"Cool start"

Opens on cold water when the handle is in upward position

Smart handle design

Rotates only 15° to avoid knocking the backsplash

Quality cartridge

European high durability ceramic cartridge

Easy installation


Very sturdy installation with three-points tightening using only 3 screws




LIMITED
LIFETIME
WARRANTY



Ecological
flow rate
available



Durable
ceramic
cartridge



Smart
handle
design

BARiL
equals
quality

BARiL's finishes —

BARiL

STYLE × FUNCTION

Because we are convinced that you want access to the very best options, BARiL offers a large variety of finishes for all of its collections. Shipping delays vary between 48 hours and 4 weeks, depending on the finish. Take advantage of the wide array of colors and have fun imagining all the possibilities.



Chrome (CC)



Stainless Steel (SS)



Matte Black (KK)



Polished Nickel (YY)



Venetian Bronze (TT)



Satin Brass (LL)



Satin Copper (VV)




Gold (GG)

360° Swivel Spout

Allows to reach all areas of the sink comfortably and with ease, so you can fill a pot or wash the sink easily.

BARiL

STYLE × FUNCTION




Dual Function Sprayhead

BARiL

STYLE × FUNCTION

With the option between a steady aerated stream and a powerful spray, every tasks will be flawlessly accomplished. Go back between them whitout even turning off the water!



Easy to clean,
anti-limestone
silicone jets

Italian-made
brass head



Stream




Spray

Superior Hose

Besides being very durable, our lightweight, flexible German-made braided hose is a pleasure to use. It glides so smoothly and quietly!

BARiL

STYLE × FUNCTION



Automatic docking

Ensures the head locks in its original position


Smart Handle Design —

The handle only rotates 15° towards the back to avoid knocking on the backsplash and to allow comfort of use even in minimum space.

The faucet opens on cold water when the handle is in upward position, allowing energy savings and avoiding risks of scalding.

BARiL

STYLE × FUNCTION




Easy Installation —

The installation of a BARiL faucet is very sturdy and simple, thanks to our threaded nut with easy-to-reach screws, even in tight location.

BARiL

STYLE × FUNCTION



3-points tightening make the installation very sturdy: it will not loosen.

Softpex Supply Lines


Corrosion and kink resistant, color coded. Swivel connection nuts to water inlets to facilitate the installation, and avoid twisting of the supply lines.

Quick Connection —

The brass connection facilitates the sprayhead hose's connection to the water supply. Complete the connexion with a simple click - no tools required.

BARiL

STYLE × FUNCTION




Superswivel Sprayhead

The integrated ball joint of the handspray hose makes the sprayhead very easy and smooth to rotate while allowing multidirectional movements.

BARiL

STYLE × FUNCTION



Ergonomic Faucet

Convenient to fill large pots and tall pitchers, BARiL faucets are designed to fit anywhere, on any sink configurations (single bowl, double bowls, etc.).

BARiL

STYLE × FUNCTION

Dimensions:

Faucet height: 15-1/4"

Aerator clearance: 7-3/8"

Spout reach: 9"

Number of hole required: 1

Maximum deck thickness: 2-1/2"

